

# INDEX MAPS.

## T. 4N, R. 12E. 2<sup>nd</sup> Mer.

	306	306	307	307	307					
310	6	325	5	324	4	323	3	322	2	1
	<del>324</del>	<del>324</del>	<del>322</del>	<del>322</del>	<del>321</del>					
310	7	323	8	322	9	321	10	321	11	12
	<del>320</del>	<del>320-323</del>	<del>320-322</del>	<del>319</del>	<del>318</del>					
309	18	320	17	319	16	318	15	318	14	13
	<del>317</del>	<del>317-319</del>	<del>318-319</del>	<del>315</del>	<del>316</del>					
309	19	317	20	316	21	315	22		23	24
	<del>314</del>	<del>316</del>	<del>315</del>	<del>312</del>						
308	30	314	29	314	28	312	27		26	25
	<del>312</del>	<del>313</del>	<del>312</del>	<del>311</del>						
308	31	313	32	311	33	311	34		35	36
	<del>305</del>	<del>305</del>	<del>305</del>	<del>306</del>						

## T. 5N, R. 12E. 2<sup>nd</sup> Mer.

	331		332		332		332		333		333
331	6	351	5	350	4	348	3	347	2	247	1
	351		350		349		348		347		347
330	7	350	8	349	9	348	10	346	11	346	12
	343		344		346-349		346-348		345		344
330	18	342	17	344	16	345	15	345	14	340	13
	336		342-343		343		344		340		340
									340		
329	19	336	20	342	21	342	22	339	23		24
	335		337		341		341		339		
329	30	335	29	336	28	338	27	339	26		25
	334		335		337		338		339		
328	31	334	32	335	33	337	34	338	35		36
	327		327		327		328		328		

The figures on the lines refer to the page.

Township N. 4 North, Range N. 12 East 2<sup>d</sup> Mer. Indiana  
ch<sup>d</sup> l<sup>h</sup>.

South Boundary var. 5.50' E.

- East On S. boundary of Sec. 31,  
20.00 Indian Kentucky Cr. 300 l<sup>h</sup>, wide Cr. S.W.  
27.30 a Walnut 24 in. diam.  
33.50 at Brook 3 l<sup>h</sup>, wide Course N.  
38.00 a. l<sup>o</sup>. 3 " " " N.  
40.00 Set q<sup>r</sup>, Sec. post from which  
a Beech 6 in. diam. brang S 5 W 4 l<sup>h</sup>, dist. 6  
a Sugar 8 " " " N 11 W 8 " "  
Partilly off part bottom, timber Beech, Sugar &c.  
54.00 at Brook 5 l<sup>h</sup>, wide Course N.  
80.00 Set post Cor. to Sec. 31 & 32, from which  
a Sugar 9 in. diam. brang N 26 W 4 l<sup>h</sup>, dist. 6  
a l<sup>o</sup>. 10 " " " S 37 E 26 " "  
Hilly rich land, timber Sugar, Ash, Oak &c.

September 2<sup>d</sup>, 1876

- East On S. boundary of Sec. 32  
15.50 at Brook 3 l<sup>h</sup>, wide Course N.W.  
17.60 a Walnut 15 in. diam.  
40.00 Set q<sup>r</sup>, Sec. post, from which  
a Sugar 9 in. diam. brang S 70 W 21 l<sup>h</sup>, dist. 6  
an Ash 6 " " " S 72 E 23 " "  
50.00 a Hickory 15 " "  
80.00 Set post Cor. to Sec. 32 & 33, from which  
an Ash 6 in. diam. brang S 70 W 6 l<sup>h</sup>, dist. 6  
a Sugar 12 " " " N 38 E 14 " "  
Hilly rich land, timber Sugar, Elm, Ash &c.

- East On S. boundary of Sec. 33  
40.00 Set q<sup>r</sup>, Sec. post, from which  
an Ash 18 in. diam. brang N 26 E 25 l<sup>h</sup>, dist. 6  
a Hickory 12 " " " S 51 W 37 " "  
Rich hilly land, timber, Sugar, Ash &c.  
48.48 a Walnut 9 in. diam.  
51.50 at Brook 3 l<sup>h</sup>, wide Course S.

## Twp. R12 E. T. Mer. Indiana

ch. lks.	
73.00	a Brook 5 lks. wide Cr. South
80.00	Set post Cor. to Sec. 33 & 34, from which a Locust 6 in. diam. : bear N 43 E 4 lks. dist. of a Sugar 6 " " " S 56 W 24 " " Hilly rich land, timber Sugar, Ash &c.
East	On S. boundary of Sec. 34
12.00	a Brook 4 lks. wide Course S. W.
15.00	a Do. 2 " " " N. W.
18.80	a Hickory 16 in. diam.
34.50	Set post in the Old Indian boundary line Corner to Township 3 & 4 North, Range 12 E from which a Hickory 10 in. diam. : bear S 5 W 17 lks. dist. of a Sugar 10 " " " N 80 W 16 " " Hilly rich land, timber Sugar, Elm, Ash &c.
North Boundary var. S. 50. E. September 2 <sup>nd</sup> 1806.	
East	On S. boundary of Sec. 31, T5 N. R12 E.
19.75	a Brook 16 in. diam.
31.00	a Brook 15 lks. wide Course S.
32.00	a Creek 50 lks. wide " S.
40.00	Set of Sec. post, from which a Sugar 8 in. diam. : bear N 36 W 14 lks. dist. of a W. Oak 36 " " " S 52 E 37 " "
69.30	a Sugar 14 " "
80.00	Set post Cor. to Sec. 31 & 32, from which a Hickory 12 in. diam. : bear S 26 W 17 lks. dist. of a Sugar 10 " " " N 4 W 32 " " Hilly rich land, timber Sugar, Oak, Ash &c.
East	On S. boundary of Sec. 32, T5 N. R12 E.
10.00	a Brook 3 lks. wide Course S.
16.00	a Do. 6 " " " S. W.
20.30	a Poplar 30 in. diam.
40.00	Set of Sec. post, from which

St. N. R. 12 E. 2<sup>d</sup> Mer. Indiana

Ch. Hy.

a Hickory 5 in. diam. tr. N 61 W 14 lks. dist. of  
a Walnut 12 " " " N 72 E 31 " "  
Hilly rich land, timber Hickory, Oak, Sugar etc.  
80.00 to Cor. of Secs. 32 & 33, 1st post, from which  
a Sassafras 12 in. diam. tr. N 84 W 18 lks. dist. of  
a B. Oak 16 " " " S 40 E 18 " "  
Over uneven land, timbered with Oak & Hickory

East On S. boundary of Sec. 33, T5 N, R12 E.

22.50 a Poplar 24 in. diam.  
40.00 Set of sec. post, from which  
a P. Oak 18 in. diam. bear S 45 E 28 lks. dist. of  
a Sugar 14 " " " S 65 W 39 " "  
Generally level good Oak land  
43.50 at Brook 5 lks. wide Course S.  
60.00 a No. 5 " " " S.  
61.00 a Sugar 16 in. diam.  
80.00 Set post Cor. to sec. 33 of 34, from which  
a Maple 12 in. diam. bear S 21 W 27 lks. dist. of  
a W. Oak 30 " " " N 70 E 50 " "  
Generally good level Oak land

East On S. boundary of Sec. 34, T5N, R12E.

3.00 a Spring Course S.  
20.50 a W. Oak 36 in. diam.  
40.00 Set of sec. post, from which  
a Sugar 14 in. diam. & bray Set N 20 lks. dist. of  
a Maple 8 " " " S 87 E 19 " "  
Level good land, timber Oak, Maple &c.  
64.00 a Brook 5 lks. wide Course N.E.  
80.00 Set post Cor. to Sect. 34 & 35, from which  
a Sugar 14 in. diam. & bray West 31 lks. dist. of  
a W. 10 " " " S 41 E 27 " "  
Level good Oak land.

East On S. boundary of Sec. 35, T5N. R12E.



# Sec. 12 E. 2<sup>nd</sup> Mer. Indiana

ch <sup>d</sup> l <sup>y</sup> .	
13.17	Poplar 18 in. diam.
40.00	Set of Sec. post, from which a Walnut 12 in. diam. bear S 52 E 15 l <sup>y</sup> . dist. of an Elm 7 " " " N 22 W 14 " "
46.10	Intersected Old Indian Boundary & set post cor. to township 4 & 5 N. Range 2 E, from which an Ash 14 in. diam. bear S 69 W 12 l <sup>y</sup> . dist. of a Ro 14 " " " N. E. 36 " "
	Generally good Oak land— Thence with the Boundary N 10 3/4 E, as near as I can ascertain 20.30 to an Ash marked M. 10.

## West Boundary. var. S. 50' E. September 3<sup>rd</sup> 1806

North	On E. boundary of Sec. 36, S 4 N. R 11 E.
14.00	an Ash 16 in. diam.
17.00	a Brook 4 l <sup>y</sup> . wide Course E.
40.00	Set of Sec. post, from which a Beech 16 in. diam. bear S 58 E 43 l <sup>y</sup> . dist. of an Elm 16 " " " N 46 W 28 " "
	Bottom land, timber Sugar, Beech, Ash &c.
56.00	a Creek 400 l <sup>y</sup> . wide Course S. E.
76.00	Same 400 " " " S. W.
80.00	Set post cor. to Sec. 25 & 36, from which a Hackberry 12 in. diam. bear N 64 W 59 l <sup>y</sup> . dist. of a Hickory 10 " " " East 49 " "
	Rich bottom land, timber Ash, Elm &c.

North	On E. boundary of Sec. 25, S 4 N. R 11 E.
18.00	a Creek 400 l <sup>y</sup> . wide Course S. E.
31.00	a Hackberry 14 in. diam.
40.00	Set of Sec. post, from which an Ironwood 7 in. diam. bear S 65 W 9 l <sup>y</sup> . dist. of an Ash 6 " " " N 43 E 13 " "
	Rich bottom land, timber Hickory, Ash, Elm &c.
61.00	an Ash 15 in. diam.

T4 N. R12 E. 2<sup>d</sup> Mer. Indiana

ch. 1/2 lks.

- 67.00 a Creek 50 lks. wide Course W.  
 80.00 Set post Cor. to Sec. 24 & 25, from which  
 a Sugar 10 in. diam. - bear N 56 W 14 lks. dist. of  
 a Do. 6 " " " S 70 E 12 " "  
 Rich bottom land, timber Sugar, Ash, Elm &c.

North On E. boundary of Sec. 24, T4 N. R11 E.

- 33.00 a Brook 3 lks. wide Course E.  
 33.70 an Ash 16 in. diam.  
 40.00 Set of Sec. post, from which  
 a Thorn 5 in. diam. - bear East 1 link dist. of  
 an Ash 30 " " " S 21 W 40 lks. "  
 hilly, rich land, timber Sugar, Ash &c.  
 47.50 a Brook 3 lks. wide Course E.  
 48.40 a Locust 24 in. diam.  
 71.80 a P. Oak 48 " "  
 80.00 Set post Cor. to Sec. 13 & 24, from which  
 a Hickory 8 in. diam. - bear S 55 E 17 lks. dist. of  
 an Elm 9 " " " S 84 W 32 " "  
 Rich hills, timber Sugar, Ash, Elm &c.

North On E. boundary of Sec. 13, T4 N. R11 E.

- 14.00 a Brook 3 lks. wide Course W.  
 15.00 a Hickory 12 in. diam.  
 33.00 a Brook 5 lks. wide Course W.  
 40.00 Set of Sec. post, from which  
 a Sugar 9 in. diam. - bear N 28 E 24 lks. dist. of  
 a Poplar 36 " " " S 58 W 39 " "  
 Rich hills, timber Sugar, Ash, Poplar, Elm &c.  
 50.00 a Brook 4 lks. wide Course W.  
 65.20 a Beech 24 in. diam.  
 71.00 a Brook 4 lks. wide Course W.  
 80.00 Set post Cor. to Sec. 12 & 13, from which  
 a Hickory 12 in. diam. - bear S 26 W 11 lks. dist. of  
 a Do. 16 " " " N 30 E 25 " "  
 Rich hilly land, timber Sugar, Beech, Ash &c.

T4 N R12 E. 2<sup>d</sup> Mer. Indiana

ch. lks.

North On E. boundary of Sec. 12, T4 N, R11 E.

30.50 a Beech 12 in. diam.

40.00 Set of Sec. post, from which  
a Walnut 14 in. diam. bears N 73° W 23 lks. dist. of  
a Do. 12 " " " S 45° E 25 " "

Hilly rich land, timber, Walnut, Ash &amp;c.

41.00 a Brook 3 lks. wide Course N.W.

60.00 a Creek 40 lks. wide Course W.

65.00 a Do. 50 " " " W.

80.00 Set post Cor. to Sec. 1 of 12, from which  
a Sugar 8 in. diam. bears N 44° W 11 lks. dist. of

a Gum 30 " " " S 52° E 16 " "

Hilly rich land, timber Sugar &amp; Ash

North On E. boundary of Sec. 1, T4 N, R11 E.

8.50 a Brook 3 lks. wide Course S. E.

13.30 a Hickory 18 in. diam.

32.50 an Ash 16 " "

40.00 an Ash 5 in. diam. of Sec. Cor. from which  
an Elm 24 in. diam. bears N 40° W 24 lks. dist. of  
a Hickory 12 " " " S 50° E 35 " "

Over hilly land, timbered with Sugar, Ash, Hickory

80.00 Set post Cor. to Township 4 of 5 North, Range 11 of  
12 East, from which

a W. Oak 30 in. diam. bears S 24° E 14 lks. dist. of

a Beech 14 " " " West 18 " "

Over hilly rich land, timber Sugar, Ash, Hickory &amp;c

September 15<sup>th</sup> 1806Alexander Holmes,  
Deputy SurveyorSubdivision, Monday Dec. 13<sup>th</sup> 1806

You Benjamin Gwin of John Burch do solemnly swear  
in the presence of Almighty God the Searcher of all hearts,  
that you will carry a true and horizontal chain and  
give a true account of all distances that you may

T4 N R12 E. 2<sup>d</sup> Mer. Indiana

ch<sup>l</sup>lks.

chain to the best of your skill and abilities and  
understanding to help you God.

Benjamin Swin

John <sup>his</sup> Pouch

Sworn and subscribed before me this 15<sup>th</sup> day of  
October 1806.

Stephen Sudlow,

Deputy Surveyor

North Between Sec<sup>s</sup>. 34 & 33, T4 N. R12 E.

21.11 a W. Oak 12 in. diam. in the line

40.00 Set q. Sec. post, from which  
an Ironwood 6 in. diam. bear N 39 W 14 lks. dist. of  
a Do. 6 " " " S 37 W 15 " "

60.00 a Watercourse 6 lks. wide Course W.

80.00 Set post Cor. to Sec<sup>s</sup>. 27, 28, 33 & 34, from which no  
bearing has been taken, barren

This mile hilly, timber Beech, Oak, Ironwood &c. 3<sup>d</sup> rate

East Between Sec<sup>s</sup>. 27 & 34

10.00 a watercourse 6 lks. wide Course S.

35.00 a Sugar 18 in. diam. stands for a corner. no bounda-  
ry line to be found, timber Beech, Oak, Ironwood  
much being &c. 3<sup>d</sup> rate

North Between Sec<sup>s</sup>. 32 & 33

20.00 Began to descend a steep hill

30.00 a watercourse 6 lks. wide descends W.

40.00 Set q. Sec. post, from which  
a Sugar 12 in. diam. bear N 55 W 26 lks. dist. of  
an Ironw. 6 " " " S 30 E 9 " "

75.00 a watercourse 10 lks. wide C. S. W. begins to ascend steep hill

80.00 Set post Cor. to Sec<sup>s</sup>. 28, 29, 32 & 33, from which

a Hickory 10 in. diam. bear N 72 E 10 lks. dist. of

a Hawthorn 6 " " " West 2 " "

This mile hilly, 3<sup>d</sup> rate land soil rich, timber Oak  
Ash, Sugar, Elm &c.



# Sp. N. P. 12 E. 2<sup>nd</sup> Mr. Indiana

Ch. l. h.

East On Rand<sup>m</sup>. between Dec<sup>s</sup>. 28 & 33

30.00 Crossed a watercourse runs E. begins to ascend a hill

40.00 Set ~~timber~~ py. q. Dec. post

52.00 a watercourse 6 l. h. wide runs S. begins to ascend a steep hill

79.78 Intersected the N & S. line 70 l. h. N. of corner  
Sand timber &c. Similar to last mile.

West Connected between Dec<sup>s</sup>. 28 & 33

28.00 a watercourse 6 l. h. wide runs S.

39.89 Set q. Dec. post, from which  
a P. Oak 20 in. diam. bran 110 E 7 l. h. dist. of  
a Cyp<sup>r</sup> 5 " " " N 45 E 9 " "

50.00 Crossed a watercourse descends E.

79.78 to Dec. Corner.

North Between Dec<sup>s</sup>. 27 & 28

descend a steep hill

12.00 a small watercourse 6 l. h. wide runs S. W

40.00 Set q. Dec. post, from which  
an Elm 18 in. diam. bran N 27 E 23 l. h. dist. of  
a Beech 6 " " " S 35 W 23 " "

41.50 a watercourse 6 l. h. wide E. S 20 W. begins to ascend a steep hill

80.00 Set post Cor. to Dec<sup>s</sup>. 21, 22, 27 & 28, from which  
a Sugar 16 in. diam. bran East 23 l. h. dist. of  
a Do. 8 " " " South 9 " "

This mile some broken, timber Beech, Ash, Sugar,  
Locust, Spice wooding. Soil of good quality 2<sup>nd</sup> rate

East Between Dec<sup>s</sup>. 22 & 27

40.00 Set q. Dec. post, from which  
a Cyp<sup>r</sup> 18 in. diam. bran S 43 E 21 l. h. dist. of  
a Beech 3 " " " N 30 W 7 " "

68.00 Intersected Old Indian boundary line & set post  
Cor. to Dec<sup>s</sup>. 22 & 27, from which  
a Hickory 18 in. diam. bran West 27 l. h. dist. of  
a Cherry 8 " " " S 40 E 17 " "



# L.N. R12 E. 2<sup>d</sup>. Mer. Indiana

ch. lky This mile some broken, timber Oak, Beech, Hickory  
fr. 3<sup>d</sup> rate

North Between Secs. 31 & 32

40.00 Set of. sec. post, from which  
a Sugar 12 in. diam. beam N 10 E 39 lky. dist. of  
an Elm 20 " " " N 40 E 53 " "  
Begin to ascend a steep hill

43.00 a watercourse 10 lky. wide Cr. W.

55.00 begin to descend.

70.00 a watercourse 12 lky. wide Cr. S. W. begin to rise steep <sup>[hill]</sup>

80.00 At post Cor. to Secs. 29, 30, 31 & 32, for which a  
Blow 16 in. diam. stand for cor. (notched on four  
sides). This mile much broken, timber Beech  
ash, Sugar—Stone near the surface 3<sup>d</sup> rate

East On Rand. between Secs. 29 & 32

23.00 a watercourse 12 lky. wide Cr. S. W.

40.00 Set temp. of. sec. post

70.00 a small watercourse 6 lky. wide Cr. S.

80.00 Intersected the N. of S. line 100 lky. N. of post  
Sand timber &c. same as on the last mile

West Connected between Secs. 29 & 32

10.00 a small water watercourse 6 lky. wide Cr. S.

40.00 Set of. sec. post, from which  
a Sugar 6 in. diam. beam N 30 W 10 lky. dist. of  
a No. 5 " " " " 40 W 15 " "

57.00 a watercourse 12 lky. wide Cr. S. W.

80.00 Sec. Corner.

West On Rand. between Secs. 30 & 31

40.00 Set temp. of. sec. post

76.00 to the Bank of Indian Kentucky Cr.

81.00 Intersected W. boundary 150 lky. S. of post  
Sand timber &c. same as on the last mile.

## T. &amp; N. R. 12 E. 2. Mer. Indiana

ch<sup>2</sup>ly  
 East Corrected between Sec<sup>s</sup>. 30 & 31  
 3.00 Bank of Indian Kentucky Cr. 150 lbs. wide Cr. S 45 W  
 40.50 Set of Sec. post at average dist. from which  
 a Blue Ash 6 in. diam. - bran S 30 W 16 lbs. dist. of  
 a Blk. Oak 36 " " " East 17 " "  
 Begin to ascend a hill  
 81.00 to Sec. Corner

North Between Sec<sup>s</sup>. 29 & 30  
 40.00 Set of Sec. post, from which  
 a Sugar 20 in. diam. - bran S 45 W 34 lbs. dist. of  
 a Dogwood 6 " " " N 50 W 13 " "  
 50.00 a watercourse 6 lbs. wide descends N.W.  
 55.00 rose a hill & begin to descend  
 75.00 Crossed a water course 5 lbs. wide Cr. N.W.  
 80.00 Set post cor. to Sec<sup>s</sup>. 19, 20, 29 & 30, from which  
 an Ironwood 6 in. diam. - bran South 9 lbs. dist. of  
 a Sugar 4 " " " N 40 W 9 " "  
 This mile much broken, timber Oak Sugar &c. 3<sup>rd</sup> Rate

West On Rand<sup>m</sup>. between Sec<sup>s</sup>. 19 & 30  
 37.50 a large water course 15 lbs. wide course S.W.  
 40.00 Set temp<sup>y</sup>. of Sec. post  
 81.65 Interselled W. boundary 100 lbs. S. of Corner  
 This mile hilly, timber Oak, Ash, Sugar &c. 3<sup>rd</sup> Rate

East Corrected Between Sec<sup>s</sup>. 19 & 30  
 40.82 Set of Sec. post, at average dist. from which  
 a Hickory 15 in. diam. - bran N 2 W 13 lbs. dist. of  
 a Sycamore 40 " " " S 32 W 31 " "  
 44.00 a large watercourse 15 lbs. wide course S.W.  
 81.65 to Sec. Corner.

North Between Sec<sup>s</sup>. 28 & 29  
 40.00 Set of Sec. post, from which  
 a Hackberry 16 in. diam. - bran S 75 E 23 lbs. dist. of

# S 4 N R 12 E. 2<sup>d</sup>. Mer. Indiana

ch<sup>d</sup>. lks.  
 68.00 a Hackberry 8 in. diam. beam S 45 W 14 lks. dist. of  
 a watercourse 6 lks. wide cr. S. W.  
 80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which  
 a Sugar 8 in. diam. beam S 40 E 3 lks. dist. of  
 a Do. 6 " " " N 70 E 19 " "  
 This mile broken with ridges, Beech, Ash, Oak &c.  
 3<sup>d</sup> rate land.

East On Range between Sec. 21 & 28  
 40.00 Set temp. of. Sec. post  
 80.50 Intersected the N & S. line 30 lks. N. of post  
 This mile broken, timber Beech, Ash, Locust  
 Walnut, Soil rich 3<sup>d</sup> rate

West Corrected between Sec. 21 & 28  
 35.00 a watercourse 8 lks. wide cr. S. begin to ascend  
 40.25 Set of. Sec. post, from which  
 a Sugar 12 in. diam. beam S 20 W 17 lks. dist. of  
 a Do. 5 " " " East — " "  
 80.50 to Sec. Corner.

North Between Sec. 21 & 22  
 40.00 Set of. Sec. post from which  
 a Sugar 12 in. diam. beam S 67 E 13 lks. dist. of  
 a Do. 10 " " " West 10 " "  
 78.00 a watercourse 10 lks. wide runs N. W.  
 80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which  
 an Ironwood 4 in. diam. beam S. E. 1 lks. dist. of  
 a W. Oak 14 " " " S 11 W 21 " "  
 This mile some broken, timber Beech, Ash, Locust  
 Poplar &c. Soil rich 3<sup>d</sup> rate

East Between Sec. 15 & 22  
 40.00 Set of. Sec. post, from which  
 a Hackberry 18 in. diam. beam N 53 W 18 lks. dist. of  
 an Ironwood 8 " " " S 37 W 16 " "

S. N. R. E. 2<sup>nd</sup>. Mer. Indiana

ch. lks.

80.00

Set post Cor. to Sec. 14, 15, 22 & 23, from which  
 a B. Oak 60 in. diam., bearing East 8 lks. dist.  
 a W. Oak 18 " " " S 78° W 31 " "  
 This mile broken, timber Beech, Ash, Poplar &c.  
 Soil 2<sup>nd</sup> rate

East Between Sec. 14 &amp; 23

4.75

to the Indian Boundary line Set post, from which  
 a Blue Ash 10 in. diam., bearing S 45° W 12 lks. dist. of  
 a Beech 10 " " " N 70° E 29 " "  
 This dist. heavily timbered, Beech, Ash, Poplar 2<sup>nd</sup> rate

South Between Sec. 22 &amp; 23

22.00

to the Indian Boundary line, Set post, from which  
 a Beech 8 in. diam., bearing East 24 lks. dist. of  
 a Do. 12 " " " N 34° W 32 " "  
 This dist. level 2<sup>nd</sup> rate land, timber Beech, W. Oak  
 Poplar, Gum woods.

West On Land 8<sup>m</sup>. between Sec. 20 & 29

40.00

Set temp. gr. sec. post

78.06

Intersected the N & S. line 78 lks. S. of post  
 This mile hilly, timber Beech, B. Oak, Ash, Ang. &c.

East Corrected between Sec. 20 &amp; 29

39.03

Set gr. section post, at average dist. from which  
 a Lym 20 in. diam., bearing East 14 lks. dist. of  
 a Do. 28 " " " S 19° E 34 " "

78.06

to Sec. Corner

North Between Sec. 20 &amp; 21

40.00

Set gr. sec. post, from which

a Beech 10 in. diam., bearing N 58° W 3 lks. dist. of  
 a Blue Ash 5 " " " S 60° E " "

Begin to descend a hill

80.00

Set post Cor. to Sec. 16, 17, 20 &amp; 21, from which



# 317

## S. N. R. E. 2<sup>d</sup> Mer. Indiana

ch. lks.

a Gum 18 in. diam. beam N 48 E 7 lks. dist. 6  
 a Hickory 12 " " " S 80 W 19 " "  
 This mile broken with small ridges, timber Beech,  
 Oak, Hickory, Sugar, 3<sup>d</sup> rate

North Between Secs. 19 & 20

18.00 a watercourse 6 lks. wide course S. W.  
 40.00 Set g<sup>r</sup>. sec. post, from which  
 a Blue Ash 24 in. diam. beam North 8 lks. dist. 6  
 a Hickory 12 " " " S 60 W 6 " " rise a hill  
 80.00 Set post Cor. to Secs. 17, 18, 19 & 20, from which  
 a W. Walnut 3 in. diam. stands for the corner  
 This mile much broken, timber Oak, Hickory, Sugar, 3<sup>d</sup> rate

West On Land<sup>m</sup>. between Secs. 18 & 19

5.00 a Small watercourse runs S.  
 40.00 Set temp<sup>y</sup>. g<sup>r</sup>. sec. post  
 80.00 Intersected N. boundary 300 lks. S. of post  
 This mile much broken with ridges Oak, Ash,  
 Hickory Much brush, 3<sup>d</sup> rate

East Corrected between Secs. 18 & 19

40.00 Set g<sup>r</sup>. sec. post at average dist. from which  
 a Sugar 16 in. diam. beam S 40 E 23 lks. dist. 6  
 a W. Ash 10 " " " N 50 E 15 " "  
 75.00 a Small watercourse runs S.  
 80.00 to Sec. Corner

East On Land<sup>m</sup>. between Secs. 17 & 20

1.00 a watercourse 6 lks. wide runs S. W.  
 30.00 a do. 5 " " " N. W.  
 40.00 a Blue Ash 8 in. diam. stands for temp<sup>y</sup>. g<sup>r</sup>. sec. Cor.  
 Begin to descend a steep hill  
 79.50 Intersected the N & S. line at the corner  
 This mile broken, timber Oak & Hickory  
 (~~this is no corrected line in the original notes~~)



# S. 4 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana

ch. 2<sup>nd</sup> hr.

East On Rand<sup>m</sup> between Sec. 16 & 21

38.00 a watercourse descends N.

40.00 Set temp<sup>y</sup>. gr. Sec. post

48.50 a watercourse 8 lks. wide descends N.

75.00 a Do. 10 " " " N.

80.00 Intersected the N & S. line at the post

This mile is some broken, but good farming land  
Beech, Ash, Sugar &c. Spruce underg<sup>g</sup>. 2<sup>nd</sup> rate

North Between Sec. 14 & 15

40.00 Set gr. Sec. post, from which

an Elm 16 in. diam<sup>t</sup>. bear N 43 E 32 lks. dist. of

a Sugar 8 " " " N 76 W 10 " "

on the bank of a small watercourse C. S. N. W.

80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which

a Beech 36 in. diam<sup>t</sup>. bear N 20 W 8 lks. dist. of

a Do. 18 " " " S 40 E 24 " "

This mile over gentle ascent, and descents 2<sup>nd</sup> rate

East Between Sec. 11 & 14

19.50 to the Indian Boundary, set post, from which

a Beech 8 in. diam<sup>t</sup>. bear S 30 W 25 lks. dist. of

a Do. 10 " " " N 40 W 27 " "

Timber Beech &c. Sand 3<sup>rd</sup> rate

North Between Sec. 15 & 16

20.00 a watercourse 8 lks. wide descends S 30 W

30.00 a Do. 8 " " " S. W.

40.00 Set gr. Sec. post, from which

a W. Oak 16 in. diam<sup>t</sup>. bear S 37 E 24 lks. dist. of

a Do. 16 " " " N 10 E 11 " "

80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which

a Hickory 24 in. diam<sup>t</sup>. bear S 55 E 25 lks. dist. of

a Sugar 10 " " " S 72 W 11 " "

This mile hilly, timber Oak, Hickory, Logwood &c.  
Much brush, 3<sup>rd</sup> rate

# West R12 E. 2<sup>d</sup>. Mer. Indiana

319

ch. 2. lks.

East On Randm. between Sec. 10 & 15

25.00 a watercourse 8 lks. wide run S.

40.00 Set temp. q. Sec. post

78.76 Intersected the N & S. line at the post

This mile some broken, but good farming land  
Beech, Ash, Sugar, underg<sup>d</sup>. Spruce - 2<sup>d</sup>. rate

West Corrected between Sec. 10 & 15

39.38 Set q. Sec. post at average dist. from which  
a Hickory 16 in. diam. bear West 9 lks. dist. of  
a Beech 18 " " " S 25 W 16 " "

53.00 a watercourse 8 lks. wide run S.

78.76 to Sec. Corner

West Corrected between Sec. 16 & 21

5.00 a watercourse 10 lks. wide run N.

32.00 a Do. 8 " " " N.

40.00 Set q. Sec. post at average dist. from which  
a Sugar 14 in. diam. bear S 73 W 15 lks. dist. of  
a Do. 4 " " " N 67 W 14 " "

42.50 a watercourse 6 lks. wide Course N.

80.00 to Sec. Corner

North Between Sec. 16 & 17

35.00 a watercourse 10 lks. wide run W.

40.00 Set q. Sec. post, from which  
a W. Oak 8 in. diam. bear S 50 E 23 lks. dist. of  
an Elm 3 " " " East 16 " "

75.00 a watercourse 8 lks. wide Cr. S. W.

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which  
a Hickory 24 in. diam. bear S 55 E 25 lks. dist. of  
a Sugar 10 " " " S 72 W 11 " "

This mile fully timber Beech, Oak, Hickory  
much underbrush 3<sup>d</sup>. rate

West Corrected between Sec. 17 & 20

# SPR R2 E. 2<sup>d</sup> Mer. Indiana

at 1/4 hr.

- 39.00 a Watercourse 5 lks. wide run N.  
 39.75 a Blue Ash 8 in. diam. stands for q. Sec. Cor  
 50.00 a small watercourse 5 lks. wide run N.W.  
 79.00 a watercourse 10 lks. wide C.S.W  
 79.50 to Sec. Corner

North Between Sec. 17 & 18

- 40.00 Set q. Sec. post, from which  
 a Beech 10 in. diam. bear S 22 E 8 lks. dist of  
 a Blue Ash 14 " " " N 9 E 16 " "  
 80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which  
 a Sugar 3 in. diam. bear N 60 W 24 lks. dist.  
 no other near  
 This mile on a ridge, timber Beech, Oak,  
 Hognwood &c. 3<sup>d</sup> rate.

West On Rand<sup>m</sup>. between Sec. 7 & 18

- 40.00 Set temp. q. Sec. post  
 79.00 Intersected W. boundary 70 lks. S. of post  
 This mile broken, timber Beech, Oak, Sugar, undag.  
 Sprucewood, 3<sup>d</sup> rate

East Corried between Sec. 7 & 18

- 39.50 Set q. Sec. post, from which  
 a Hickory 24 in. diam. bear N 26 W 10 lks. dist. of  
 a Do. 16 " " " N 12 W 36 " "  
 79.00 to Sec. Corner.

East On Rand<sup>m</sup>. between Sec. 8 & 17

- 40.00 Set temp. q. Sec. post  
 70.00 a watercourse 6 lks. wide run S.  
 78.00 Intersected the N & S. line at the post  
 This mile some broken, Beech, Hickory, Oak  
 Hognwood &c. 3<sup>d</sup> rate.

East On Rand<sup>m</sup>. between Sec. 9 & 16

S. N. R. & E. 2<sup>d</sup> Mer. IndianaCh. 4<sup>th</sup>.

- 5.00 a watercourse 5<sup>th</sup>, wide descendy S.W.  
 40.00 Set temp. q. sec. post  
 80.00 Intersected the N of S. line 34<sup>th</sup>, N. of post  
 This mile broken, timber W. Oak, Hickory, ash etc.  
 Sand 3<sup>d</sup> rate

## North Between Sec. 10 &amp; 11

- 40.00 Set q. sec. post, from which  
 a Sugar 20 in. diam., bear N 25 E 15<sup>th</sup>, dist. of  
 a W. Oak 40 " " " S 5 W 5 " "  
 80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which  
 at Beech 3 in. diam., bear S 50 W 5<sup>th</sup>, dist. of  
 a No. 18 " " " N 5 E 23 " "  
 This mile level 3<sup>d</sup> rate, Beech, Hickory, etc.

## East Between Sec. 2 &amp; 11

- 35.15 to the Old Indian boundary line Set post, from which  
 a ——— 48 in. diam., bear South 19<sup>th</sup>, dist. of  
 at Beech 10 " " " N 40 W 27 " "  
 Sand level 3<sup>d</sup> rate, Principally Beech

## North Between Sec. 9 &amp; 10

- 40.00 Set q. sec. post, from which  
 at Beech 16 in. diam., bear N 52 E 6<sup>th</sup>, dist. of  
 a W. Oak 18 " " " S 61 W 35 " "  
 60.00 a watercourse 6<sup>th</sup>, wide C. S. W.  
 80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which  
 a Sugar 12 in. diam., bear S 15 W —<sup>th</sup>, dist. of  
 a Maple 10 " " " N 30 W 14 " "  
 Level 3<sup>d</sup> rate, Beech, Oak, Sugar & Hickory,  
 Much quambries

East On Rand<sup>m</sup>. between Sec. 3 & 10

- 40.00 Set temp. q. sec. post  
 68.00 a watercourse 6<sup>th</sup>, wide Course N.W.  
 80.00 Intersected the N of S. line at the post



# L. N. R. 12 E. 2<sup>d</sup> Mer. Indiana

ch<sup>d</sup> 2<sup>d</sup> l<sup>y</sup>.

Level, Beech, Oak, Hickory, much Green briar  
Sand 2<sup>d</sup> rate.

West Connected between Sec<sup>s</sup>. 3 & 10

12.00 a watercourse 6 l<sup>y</sup>, wide Course N.W.

40.00 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Hickory 9 in. diam. bears N 2<sup>1</sup>/<sub>4</sub> W 11 l<sup>y</sup>. dist. of  
a Do! 12 " " " N 50 E 16 " "

80.00 to Sec. Corner.

North Between Sec<sup>s</sup>. 2 & 3

40.00 a Beech 6 in. diam. Mark<sup>d</sup> for q<sup>r</sup>. Sec. Cor.

76.44 Intersected the N. boundary 10 l<sup>y</sup>. W. of post  
Sand level 3<sup>d</sup> rate, Beech, Oak, Hickory &c.

West Connected between Sec<sup>s</sup>. 9 & 16

40.00 Set q<sup>r</sup>. Sec. post, at average dist. from which  
a Sugar 8 in. diam. bears S 78 E 18 l<sup>y</sup>. dist. of  
a Buckeye 3 " " " S 74 W 12 " "  
on the bank of a watercourse descendg S.

75.00 a watercourse 6 l<sup>y</sup>, wide Course S.W.

80.00 to Sec. Corner

North Between Sec<sup>s</sup>. 8 & 9

40.00 Set q<sup>r</sup>. Sec. post, from which

a Maple 12 in. diam. bears N 44 E 20 l<sup>y</sup>. dist. of  
a Hickory 24 " " " S 70 W 20 " "

80.00 Set post Cor. to Sec<sup>s</sup>. 4, 5, 8 & 9, from which  
a Dogwood 6 in. diam. bears S 29 W 18 l<sup>y</sup>. dist. of  
a Sugar 16 " " " N 67 E 33 " "

This mile over ridg Oak, Hick. Dogw. &c. 3<sup>d</sup> rate

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 4 & 9

14.00 a watercourse 6 l<sup>y</sup>, wide runs N.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

50.00 a watercourse 8 l<sup>y</sup>, wide Course N.



S 4 N R 12 E. 2<sup>d</sup> Mer. Indiana

ch. lks.  
78.78 Intersected the N & S. line 38 lks. S. of post  
This mile some broken, timber Beech, Hickory  
Oak, Dogwood &c. 3<sup>rd</sup> rate.

West Corrected between Sec. 4 & 9

28.00 a watercourse 8 lks. wide Course N.

39.39 Set of, Sec. post at average dist. from which  
a W. Oak 18 in diam. bear N 60 E 23 lks. dist. of  
a Gum 8 " " " N 76 W 29 " "

65.00 a watercourse 6 lks. wide Course N.

78.78 to Sec. Corner.

North Between Sec. 3 & 4

5.00 a watercourse 8 lks. wide Course N. W.

15.00 a do. 6 " " " N 30 W

40.00 Set of, Sec. post, from which  
a Gum 12 in diam. bear N 50 E 25 lks. dist. of  
a Sugar 10 " " " S 73 W 16 " "

75.00 Intersected N. boundary — lks. W. of post

Set post cor to Sec. 3 & 4 from which  
a Maple 10 in diam. bear S 60 E 18 lks. dist.  
no other near.

This mile level, timber, Beech, Oak, Hickory

West Corrected between Sec. 8 & 17

8.00 a watercourse 6 lks. wide runs S.

39.00 Set of, Sec. post at average dist. from which  
an Elm 4 in diam. bear N 5 W 3 lks. dist. of  
a Sugar 10 " " " South 33 " "

78.00 to Sec. Corner.

North Between Sec. 7 & 8

10.00 begin to descend a hill

38.00 a watercourse 15 lks. wide Course W.

40.00 Set of, Sec. post, from which  
a Sugar 10 in diam. bear S 30 W 3 lks. dist. of

T4N R12E 2<sup>d</sup> Mer. Indiana

ch. lhr.  
 a Hickory 18 in. diam. - beam S40 E 15 lhr. dist.  
 60.00 rose a steep hill  
 80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which  
 a Poplar 24 in. diam. - beam S60 W 16 lhr. dist. of  
 a Sugar 10 " " " N70 E 24 " "  
 This mile hilly, timber Oak & Hickory 3<sup>d</sup> Rate

East On Rand<sup>m</sup>. between Sec. 5 & 8  
 40.00 Set temp. of Sec. post.  
 74.00 a water course 12 lhr. wide runs S.W.  
 80.00 Intersected the N & S. line at the post  
 This mile hilly, timber Oak, Sugar, Hickory &c. 3<sup>d</sup> Rate

West Corrected between Sec. 5 & 8  
 6.00 a water course 12 lhr. wide Cr. S.W.  
 40.00 Set of Sec. post, at average dist. from which  
 a Cypress 6 in. diam. - beam S70 E 10 lhr. dist. of  
 a S. Walnut 20 " " " S40 W 31 " "  
 80.00 to Sec. Corner.

North Between Sec. 14 & 5  
 20.00 a water course 10 lhr. wide Cr. S 25 W.  
 40.00 a Sugar 10 in. diam. Notched on 4 sides  
 for the of. Sec. Corner.  
 50.00 a Water Course 6 lhr. wide Course S.W.  
 60.00 a Do. Do. 6 " " " S.W.  
 79.00 Intersected the N. boundary at the post  
 This mile very hilly Oak & Hickory timber 3<sup>d</sup> Rate

West On Rand<sup>m</sup>. between Sec. 6 & 7  
 30.00 a water Course 6 lhr. wide Course N.  
 40.00 Set temp. of Sec. post  
 65.00 a water course 16 lhr. wide Cr. S.  
 79.25 Intersected the W. boundary 30 lhr. N. of Corner  
 This mile level broken, timber Oak, Beech, Hickory &c. 3<sup>d</sup> Rate

# Twp. 12 E. 2<sup>d</sup> Mer. Indiana

ch. 1<sup>st</sup> Mer.

East Connected between Sec. 6 & 7

15.00 a water Course 16 ch. wide runs S.

39.62 Set of Sec. post at average dist. from which  
a Sugar 8 in. diam. bears N 5 W 8 ch. dist. to  
a Hickory 22 " " " West 18 " "

50.00 a water course 6 ch. wide Course N.

79.25 to Sec. Corner

North Between Sec. 5 & 6

40.00 Set of Sec. post, from which  
a Beech 12 in. diam. bears S 32 E 16 ch. dist. to  
a Sugar 14 " " " N 26 W 35 " "

78.00 Intersected the N. Boundary 27 ch. N. of the post  
a Sugar 11 in. diam. stands for the Cor. of Sec. 5 & 6  
This mile hill, Oak, Hickory, Dogwood &  
Much green briar 3<sup>d</sup> rate

Surveyed in 1806 By  
Stephen Ludlow  
Deputy Surveyor

I certify that the foregoing transcript of field notes of  
Township N. 4 W. Range N. 12 E. 2<sup>d</sup> Principal Mer. Indiana,  
has been compared with the Original notes in this Office  
and found to be correct.

Surveyor General's Office  
Cincinnati, Oct. 11<sup>th</sup> 1844

William Johnston  
Sur. Genl.